

ET156-APX

ELITE SERIES / PCAP



PCAP SCREEN

Cutout: 8.914 x 14.741

Active Area: 7.6 x 13.5

ELITE TOUCH®

The ET156 touchscreens take the place of the traditional car panel pushbuttons. The graphics on the touchscreen represent destinations served by the elevator. The passengers choose their floor by touching the appropriate area on the screen.

TYPICAL APPLICATIONS:

- > Car Operating Panel

FEATURES:

- > Broad viewing angle of 170 degrees (85 x 85 x 85 x 85)
- > 24 Bit color choices (more than 16 million)
- > Can be paired with EN81 keypad with LCD readout
- > USB updatable
- > ASME17.12007, CSA B44-07, ANSI A117.1-2003
- > UL-60950, CSA22.2 # 60950 ball drop test

PCAP SCREEN:

- > PROJECT CAPACITIVE TOUCH
- > Conductive touch of a human finger for the input.
- > Flush Screen



C.E. Electronics, Inc. (US) 2107 Industrial Drive, Bryan, Ohio 43506 p: 419.636.6705 www.cееlectronics.com

C.E. Electronics, Ltd. (UK) P.O. Box 1679 Marlow, Bucks SL7 3ZG, UK p: +44 (0) 1628 487633 www.cееlectronics.co.uk




C.E. Electronics, Inc.
2107 Industrial Drive
Bryan, OH 43506
PH (419) 636-6705 FX (419) 636-2516
www.ceelectronics.com

ET-156-APX

Ver. 2 Rel. 4/7/2022

Elite Touch[®]



15.6 inch Elite Touch

The ET156 touchscreens take the place of the traditional car panel pushbuttons. The graphics on the touchscreen represent destinations served by the elevator. The passengers choose their floor by touching the appropriate area on the screen.

Typical Applications

- Car Operating Panel

Features:

- Broad viewing angle of 170 degrees (85 X 85 X 85 X 85)
- 24 Bit color choices (more than 16 million)
- Can be paired with EN81 keypad with LCD readout
- USB updatable
- ASME17.12007, CSA B44-07, ANSI A1171.1-2003
- UL-60950, CSA22.2 # 60950 ball drop test

PCAP Screen

- PROJECTED CAPACITIVE TOUCH
- Conductive touch by human finger for input
- Flush Screen

TO ORDER: - ET156 - A P X

"L" = Local electronics

"R" = Remote electronics

"A" = Aux (screen & cable only)

SEE PAGE ET156 - APX-DETAIL1 FOR REQUIRED ELECTRONICS

RELATED DRAWINGS	
DESCRIPTION	DRAWING NAME
PANEL PREP.	PP156ET-1
DETAIL DIM.	DD156ET-1









C.E. Electronics, Inc.
2107 Industrial Drive
Bryan, OH 43506
PH (419) 636-6705 FX (419) 636-2516
www.ccelectronics.com

ET156-APX-DETAIL 1

Ver. 2 Rel. 4/7/2022




Elite Touch[®]






Local / Open Electronics

(15 feet max. distance)



LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date:	
Company:	

DATE DRAWN: 3/17/2021	LAST DATE REVISED	SCALE NTS	PART #
DRAWN BY: DJR	TOLERANCE UNLESS OTHERWISE SPECIFIED:		C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705
REQUESTED BY: RNT	TOLERANCE FOR CUTOUT (WINDOW):		
TITLE: TOUCH SCREEN DRIVE UNIT			DWG. NO. TSDU-E REV:



DATE DRAWN: 4/6/2022		LAST DATE REVISED 4/7/2022		SCALE NTS	PART #
DRAWN BY: RNT		TOLERANCE UNLESS OTHERWISE SPECIFIED: .		 C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43508 (419) 636-6705	
REQUESTED BY: .		TOLERANCE FOR CUTOFF (WINDOW): .			
TITLE: ET156-APX DIMENSIONAL DATA		DWG. NO. DD156ET-1			

LENS NUMBER: .	BOARD # & REV: .
APPROVED BY: Signature: _____	
Date: _____	
Company: _____	



C.E. Electronics, Inc.
2107 Industrial Drive
Bryan, OH 43506
PH (419) 636-6705 FX (419) 636-2516
www.ccelectronics.com

CIB-DXXXX

Ver. 3 Rel. 4/30/2018

Elite Touch[®]

Controller Interface Board


This unit is the interface between the touchscreen and the elevator controller. As the rider selects their car call on the screen, the CIB collects that information and alerts the controller of the request. The car call is illuminated on screen to confirm the selection and then the controller sends the car to the floor.

Typical Applications

- Discrete input / output controller

Features:

- Designed to function with any discrete controller.
- Easily expandable from 16 - 48 inputs / outputs



TO ORDER: - CIB-D X X X X

INTERFACE:

"D" = DISCRETE

NUMBER OF INPUTS:

"16" = 16 INPUTS

"32" = 32 INPUTS

"48" = 48 INPUTS

POWER SUPPLY:

"A" = 110 VAC

"E" = 220 VAC

"R" = AUTO RANGING

BOX:

"B" = Yes

"X" = No




C.E. Electronics, Inc.
2107 Industrial Drive
Bryan, OH 43506
PH (419) 636-6705 FX (419) 636-2516
www.cееlectronics.com

ETKYPD-XXXX

Ver. 3 Rel.4/30/2018


Elite Touch®



DISPLAY

KEYPAD

SPEAKER



Keypad for Elite Touch®

The keypad is part of our Elite Touch® product line to maintain code compliance where pushbuttons are still necessary, as well as provide a back up in the event the touchscreens are out of service.

Typical Applications

- Car Operating Panel

Features:

- Stainless Steel keys
- 16mm high characters
- 8 ohm Speaker

NOTE:

Maximum distance from keypad for display and speaker is 10 inches

For use with Elite Touch® units
Power Supply # 40102412 with
Bracket # 70000280 is recommended

TO ORDER: - ETKYPD - X X X X

DISPLAY:

"D" = YES
"X" = NO

SPEAKER:

"S" = YES
"X" = NO

POWER INPUT: *

"P" = POWER SUPPLY
"N" = NO POWER SUPPLY


KEYPAD STYLE:

"A" = MAIN - SILVER
"B" = MAIN - BLACK
"C" = AUXILIARY - SILVER
"D" = AUXILIARY - BLACK


* If using CIB-O no Power Supply is required or if 24VDC is available in the COP no Power Supply is required.

NOTE: Templates available for specific mounting dimensions.



KEYPAD CUT OUT AND STUD DETAIL



SPEAKER CUT OUT AND STUD DETAIL




DISPLAY CUT OUT AND STUD DETAIL



LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date:	
Company:	

DATE DRAWN: 7/09/2015	LAST DATE REVISED 1/27/2017	SCALE NTS	PART #
DRAWN BY: DWS	TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.010		C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705
REQUESTED BY:	TOLERANCE FOR CUTOUT (WINDOW):		
TITLE: KEYPAD / DISPLAY / SPEAKER PANEL PREP			DWG. NO. ETKYPD-PP REV: E



LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date: Ref; Q9119001-PP	
Company:	

DATE DRAWN: 4/6/2022	LAST DATE REVISED	SCALE NTS	PART #
DRAWN BY: RNT	TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.010	 C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705	
REQUESTED BY:	TOLERANCE FOR CUTOFF (WINDOW):		
TITLE: 15.6 TOUCH PANEL PREP			DWG. NO. PP156ET-1 REV:

Job Name: _____ C.E. Sales Order: SO- _____

Group: _____ (Complete a page for each group and a title for each group)

Elite Touch Interface Type

(Select only one)

CIB-Dxxx Discretely wired: ☐

CIB-O Otis RSL input: ☐ If RSL: Address begins: 32 ☐ 34 ☐ other _____

Note: CIB-O is for Otis use only If discrete buttons (8 max) start address: _____

Complete Floor Marking Set

(in order beginning with lowest landing)

_____ Egress landing: _____

Will this require a custom keypad? No ☐ Yes ☐ Fill out keypad order form

Custom key mapping Key '*' = _____ Key '-' = _____

Keypad Floor Markings Set _____

Modes of Operation to Support

Mode:	Check if Message:	Check if Mode:	If Mode, What's diff on screen?	If RSL, Bit Address: Default ☐ Custom ☐
Normal Operations:		☐	_____	
Fire Phase 1	☐	☐	_____	52.1 _____
Independent Service	☐	☐	_____	52.4 _____
Seismic	☐	☐	_____	53.4 _____
Fire Phase 2	☐	☐	_____	58.1 _____
Medical Emergency	☐	☐	_____	58.2 _____
Swing Car	☐	☐	_____	58.3 _____
Sabbath	☐	☐	_____	59.1 _____