





C.E. Electronics, Inc.
2107 Industrial Drive
Bryan, OH 43506
PH (419) 636-6705 FX (419) 636-2516
www.ccelectronics.com

GTSV-XXX

Ver. 4 Rel. 8/04/2015

CLASSIC
SERIES



3 INCH ARROW

REMOTE DISPLAY INDICATOR "RDI"

Long life, solid state bi-color arrow for lanterns, 100,000 hour rated life. Accepts existing signals over the discrete inputs. It consists of bi-color arrow which are green in the up direction and red in the down with matching side bars for 180° viewing. The unit is also equipped with an arrival gong.

Typical Applications

- Hall and car lanterns

Features

- Bi-color 3 inch arrow - green up / red down
- 180° viewing angle lantern
- 1 year factory warranty
- Conforms to ADAAG 4.10.4
- Includes gong

TO ORDER - SPECIFY GTSV-XXX

SIGNAL VOLTAGE:

"Z" = ± 20 -130 VAC/DC

GONG CHOICE:

"S" = SINGLE STROKE

"D" = DOUBLE STROKE

METAL CHOICE:

"A" = STAINLESS STEEL SATIN OVAL

"B" = STAINLESS STEEL CHROME OVAL

"C" = STAINLESS STEEL SATIN RECTANGLE CHAMFERED

"D" = STAINLESS STEEL CHROME RECTANGLE CHAMFERED

"X" = NO METAL

(For additional finishes, contact factory)




Discrete Wire Diagram

Black wire = Common

Brown wire = Up



Red wire = Down



$\phi 1/4$ (.250) MOUNTING HOLES
4 PLACES




ACCESS PANEL
2- $1/4$ x 1 KNOCKOUT

$1/2$ CONDUIT KNOCKOUT
3 PLACES



LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date:	
Company:	




DATE DRAWN: 6/25/2015	LAST DATE REVISED	SCALE NTS	PART #
DRAWN BY: DWS	TOLERANCE UNLESS OTHERWISE SPECIFIED: $\pm .010$		 C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705
REQUESTED BY:	TOLERANCE FOR CUTOFF (WINDOW):		
TITLE: CE SATIN FINISH OVAL FIXTURE			DWG. NO. RK-000073 REV:



- Ø1/4 (.250) MOUNTING HOLES
4 PLACES
- ACCESS PANEL
2-1/4 x 1 KNOCKOUT
- 1/2 CONDUIT KNOCKOUT
3 PLACES

LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date:	
Company:	




DATE DRAWN: 6/25/2015	LAST DATE REVISED	SCALE NTS	PART #
DRAWN BY: DWS	TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.010		 C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705
REQUESTED BY:	TOLERANCE FOR CUTOUT (WINDOW):		
TITLE: CE CHROME FINISH OVAL FIXTURE			DWG. NO. RK-000074



- ø1/4 (.250) MOUNTING HOLES
4 PLACES
- ACCESS PANEL
2-1/4 x 1 KNOCKOUT
- 1/2 CONDUIT KNOCKOUT
3 PLACES

LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date:	
Company:	

DATE DRAWN: 6/25/2015	LAST DATE REVISED	SCALE NTS	PART #
DRAWN BY: DWS	TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.010		C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705
REQUESTED BY:	TOLERANCE FOR CUTOFF (WINDOW):		
TITLE: CE SATIN FINISH CHAMFERED FIXTURE			DWG. NO. RK-000075



$\phi 1/4$ (.250) MOUNTING HOLES
4 PLACES
 ACCESS PANEL
2-1/4 x 1 KNOCKOUT
 1/2 CONDUIT KNOCKOUT
3 PLACES

LENS NUMBER:	BOARD # & REV:
APPROVED BY:	
Signature:	
Date:	
Company:	

DATE DRAWN: 6/25/2015	LAST DATE REVISED	SCALE NTS	PART #
DRAWN BY: DWS	TOLERANCE UNLESS OTHERWISE SPECIFIED: $\pm .010$		C.E. ELECTRONICS, INC. 2107 Industrial Drive Bryan, Ohio 43506 (419) 636-6705
REQUESTED BY:	TOLERANCE FOR CUTOFF (WINDOW):		
TITLE: CE CHROME FINISH CHAMFERED FIXTURE		DWG. NO. RK-000076	